N.P.N. SEMI-ANNUAL SUBJECT INDEX
Of Technical and Semi-Technical Articles

JULY-DECEMBER, 1939

Index Number	Subject	Issue	Page
231.	**Ignition Variables: Flash Points and Burning Points; Ignition Points and Explosive Mixtures.**		
	.4 Explosive Mixtures: Percentage of Air and Various Gases Forming Explosive Mixtures.		
	Symposium on Dangerous Petroleum Gases Published by British Society ...	Oct. 18,	R-447
236.	**Carbonization.**		
	Alternate Carbon Residue Test Is Recommended to A.S.T.M.	July 12,	R-298
252.	**Internal Combustion Engines.**		
	Stoichiometric Calculations of Exhaust Gas, by G. W. Gleeson and F. W. Woodfield, Jr.	Nov. 1,	R-461
263.	**Tests for Volatile Fractions, including Gasoline.**		
	Engine Fuel Testing and Proposals for Its Further Development, by Dr. Alexander v. Philippovich	Dec. 13,	R-526
	Octane Number a Bench Mark, Not Procrustean Bed, by D. P. Barnard	Dec. 13,	R-533
	Antiknock Confusion Not Due to Octane Number Scale, by S. D. Heron	Dec. 13,	R-534
	Octane Rating Shortcomings Not Serious, by A. L. Beall	Dec. 13,	R-538
	Multi-Cylinder Test Engine Adds Confusion, by M. S. Kuhring	Dec. 13,	R-538
	Knocking Problem Not One of Temperature Alone, by L. E. Hebl	Dec. 13,	R-540
265.	**Tests for Lubricating, Transformer and Switch Oils.**		
	Stability of Gear and Motor Oils Studied at A.S.T.M. Symposium	July 12,	R-300
	Color Density and Acid Vapor Indicate Oil Performance, by W. F. Weiland...	Aug. 9,	R-334
	Oxidation Resistant Motor Oils Producible by Present Methods, by M. R. Fenske, C. E. Stevenson and R. E. Hersh	Nov. 15,	R-471
	Accelerated Oxidation Test for Lubricating Oil	Nov. 15,	R-500
	4-Ball Apparatus Predicts Hypoid Lube Performance, by H. R. Kemmerer and F. L. Garton	Dec. 27,	R-551
710.	**Types of Refineries.**		
	.1 Descriptions of Individual Refineries.		
	Feature Multifold Operations in Simple Refining Equipment; European Government Refineries, by Duff Smith	Aug. 23,	R-372
720.	**Refinery Processes: Theoretical Considerations.**		
	Refining Becomes Petroleum-ization in Chemical Process Invasion, by Hugh W. Field	Nov. 29,	R-522
721.	**Distillation.**		
	.3 Cracking.		
	The Houdry Process. Magnolia Petroleum Co. Completes 138-Day Run of New Type Houdry Catalytic Cracking Unit, by M. G. Van Voorhis	Aug. 23,	R-346
724.	**Desulfurizing.**		
	Hydrogen Sulfide Removed by Tri-Potassium Phosphate, by H. N. LaCroix and L. J. Coulthurst	Aug. 9,	R-326
726.	**Decolorizing.**		
	.1 By Filtration Through Fuller's Earth or Prepared Clays.		
	Filter Clays Retain High Efficiency with New Regeneration Process, by T. P. Simpson and J. W. Payne	Nov. 15,	R-486
729.	**Other Refinery Processes.**		
	.1 Blending and Compounding Processes.		
	Blends Lubes to Order from Base Stocks at Distributing Center; Penola, Inc. Detroit Plant, by M. G. Van Voorhis..	July 26,	R-312
	Continuous Lube Blending Plant Cuts Blending Time 60-65% at Pennsylvania Refining Co. Plant, by M. G. Van Voorhis	Sept. 20,	R-410
	.6 Polymerization.		
	150 Million Feet of Gas Processed Daily by U. S. Poly Plants	July 26,	R-310
	Dehydrogenation, Polymerization, Hydrogenation, New Catalytic Process Adds to Potential Motor Fuel Supply, by A. V. Grosse, V. N. Ipatieff, Gustav Egloff, and J. C. Morrell	Nov. 29,	R-520
	.7 Alkylation.		
	Thermal Alkylation to Produce Auto and Airplane Fuels, by G. G. Oberfell and F. E. Frey	Nov. 29,	R-502
	Alkylation Plant Costs 8 Times Comparable Cracking Plant; Union Oil Co., by J. N. Westsmith	Nov. 29,	R-510
	High-Octane Aviation Gasoline by Sulfuric Acid Alkylation; Contribution by Anglo-Iranian Oil Co., Humble Oil & Refining Co., Shell Development Co., Standard Oil Development Co. and The Texas Co.	Nov. 29,	R-512
	.9 Catalytic Processes, General.		
	The Houdry Process. Magnolia Petroleum Co. Completes 138-Day Run of New Type Houdry Catalytic Cracking Unit, by M. G. Van Voorhis	Aug. 23,	R-346
	Catalytic Reforming in Small Units Gives 8 to 23 Octane No. Rise, by Arch L. Foster	Sept. 20,	R-394
	Houdry Units Will Pay Out in 3 Years, A. E. Pew, Jr., Says	Sept. 20,	R-403
	High Quality Aviation Fuel Base Is Houdry Reforming Objective, by A. G. Peterkin, J. R. Bates and H. P. Broom.	Nov. 29,	R-517
	Dehydrogenation, Polymerization, Hydrogenation, New Catalytic Process Adds to Potential Motor Fuel Supply, by A. V. Grosse, V. N. Ipatieff, Gustav Egloff, and J. C. Morrell	Nov. 29,	R-520
732.	**Materials Used in Refinery Construction.**		
	.9 Other Materials.		
	Fewer "Tailor Made" Valves Result of A.P.I. Standards Program, by M. G. Van Voorhis	Sept. 6,	R-381
734.	**Distillation Equipment.**		
	.11 Heaters, Furnaces.		
	Cone in New Type De Florez Furnace Improves Heat Distribution, by George C. Leslie	July 12,	R-294

N.P.N. SEMI-ANNUAL SUBJECT INDEX
Of Technical and Semi-Technical Articles

JULY-DECEMBER, 1939

Index Number	Subject	Issue	Page
231.	**Ignition Variables: Flash Points and Burning Points; Ignition Points and Explosive Mixtures.**		
	.4 Explosive Mixtures: Percentage of Air and Various Gases Forming Explosive Mixtures.		
	Symposium on Dangerous Petroleum Gases Published by British Society ...	Oct. 18,	R-447
236.	**Carbonization.**		
	Alternate Carbon Residue Test Is Recommended to A.S.T.M.	July 12,	R-298
252.	**Internal Combustion Engines.**		
	Stoichiometric Calculations of Exhaust Gas, by G. W. Gleeson and F. W. Woodfield, Jr.	Nov. 1,	R-461
263.	**Tests for Volatile Fractions, including Gasoline.**		
	Engine Fuel Testing and Proposals for Its Further Development, by Dr. Alexander v. Philippovich	Dec. 13,	R-526
	Octane Number a Bench Mark, Not Procrustean Bed, by D. P. Barnard	Dec. 13,	R-533
	Antiknock Confusion Not Due to Octane Number Scale, by S. D. Heron	Dec. 13,	R-534
	Octane Rating Shortcomings Not Serious, by A. L. Beall	Dec. 13,	R-538
	Multi-Cylinder Test Engine Adds Confusion, by M. S. Kuhring	Dec. 13,	R-538
	Knocking Problem Not One of Temperature Alone, by L. E. Hebl	Dec. 13,	R-540
265.	**Tests for Lubricating, Transformer and Switch Oils.**		
	Stability of Gear and Motor Oils Studied at A.S.T.M. Symposium	July 12,	R-300
	Color Density and Acid Vapor Indicate Oil Performance, by W. F. Weiland...	Aug. 9,	R-334
	Oxidation Resistant Motor Oils Producible by Present Methods, by M. R. Fenske, C. E. Stevenson and R. E. Hersh	Nov. 15,	R-471
	Accelerated Oxidation Test for Lubricating Oil	Nov. 15,	R-500
	4-Ball Apparatus Predicts Hypoid Lube Performance, by H. R. Kemmerer and F. L. Garton	Dec. 27,	R-551
710.	**Types of Refineries.**		
	.1 Descriptions of Individual Refineries.		
	Feature Multifold Operations in Simple Refining Equipment; European Government Refineries, by Duff Smith	Aug. 23,	R-372
720.	**Refinery Processes: Theoretical Considerations.**		
	Refining Becomes Petroleum-ization in Chemical Process Invasion, by Hugh W. Field	Nov. 29,	R-522
721.	**Distillation.**		
	.3 Cracking.		
	The Houdry Process. Magnolia Petroleum Co. Completes 138-Day Run of New Type Houdry Catalytic Cracking Unit, by M. G. Van Voorhis	Aug. 23,	R-346
724.	**Desulfurizing.**		
	Hydrogen Sulfide Removed by Tri-Potassium Phosphate, by H. N. LaCroix and L. J. Coulthurst	Aug. 9,	R-326
726.	**Decolorizing.**		
	.1 By Filtration Through Fuller's Earth or Prepared Clays.		
	Filter Clays Retain High Efficiency with New Regeneration Process, by T. P. Simpson and J. W. Payne	Nov. 15,	R-486
729.	**Other Refinery Processes.**		
	.1 Blending and Compounding Processes.		
	Blends Lubes to Order from Base Stocks at Distributing Center; Penola, Inc. Detroit Plant, by M. G. Van Voorhis..	July 26,	R-312
	Continuous Lube Blending Plant Cuts Blending Time 60-65% at Pennsylvania Refining Co. Plant, by M. G. Van Voorhis	Sept. 20,	R-410
	.6 Polymerization.		
	150 Million Feet of Gas Processed Daily by U. S. Poly Plants	July 26,	R-310
	Dehydrogenation, Polymerization, Hydrogenation, New Catalytic Process Adds to Potential Motor Fuel Supply, by A. V. Grosse, V. N. Ipatieff, Gustav Egloff, and J. C. Morrell	Nov. 29,	R-520
	.7 Alkylation.		
	Thermal Alkylation to Produce Auto and Airplane Fuels, by G. G. Oberfell and F. E. Frey	Nov. 29,	R-502
	Alkylation Plant Costs 8 Times Comparable Cracking Plant; Union Oil Co., by J. N. Westsmith	Nov. 29,	R-510
	High-Octane Aviation Gasoline by Sulfuric Acid Alkylation; Contribution by Anglo-Iranian Oil Co., Humble Oil & Refining Co., Shell Development Co., Standard Oil Development Co. and The Texas Co.	Nov. 29,	R-512
	.9 Catalytic Processes, General.		
	The Houdry Process. Magnolia Petroleum Co. Completes 138-Day Run of New Type Houdry Catalytic Cracking Unit, by M. G. Van Voorhis	Aug. 23,	R-346
	Catalytic Reforming in Small Units Gives 8 to 23 Octane No. Rise, by Arch L. Foster	Sept. 20,	R-394
	Houdry Units Will Pay Out in 3 Years, A. E. Pew, Jr., Says	Sept. 20,	R-403
	High Quality Aviation Fuel Base Is Houdry Reforming Objective, by A. G. Peterkin, J. R. Bates and H. P. Broom.	Nov. 29,	R-517
	Dehydrogenation, Polymerization, Hydrogenation, New Catalytic Process Adds to Potential Motor Fuel Supply, by A. V. Grosse, V. N. Ipatieff, Gustav Egloff, and J. C. Morrell	Nov. 29,	R-520
732.	**Materials Used in Refinery Construction.**		
	.9 Other Materials.		
	Fewer "Tailor Made" Valves Result of A.P.I. Standards Program, by M. G. Van Voorhis	Sept. 6,	R-381
734.	**Distillation Equipment.**		
	.11 Heaters, Furnaces.		
	Cone in New Type De Florez Furnace Improves Heat Distribution, by George C. Leslie	July 12,	R-294

Index Number	Subject	Issue	Page
738.	**Blending and Compounding Equipment.**		
	Blends Lubes to Order from Base Stocks at Distributing Center; Penola Detroit Plant, by M. G. Van Voorhis	July 26,	R-312
	Continuous Lube Blending Plant Cuts Blending Time 60-65% at Pennsylvania Refining Co. Plant, by M. G. Van Voorhis	Sept. 20,	R-410
741.	**Distillation Practice.**		
	.6 Upkeep and Maintenance of Stills.		
	Oil Well Acidizing Solvents Used to Descale Refinery Equipment	Sept. 6,	R-378
747.	**Sampling, Metering and Testing; Physical and Chemical Control of Final and Intermediate Products of the Refinery.**		
	Measurement of Metal Temperatures of Cracking Still Tubes, by O. G. Kaasa	Nov. 15,	R-478
753.	**Lubricants and Related Oils.**		
	Effect of Fatty Acid Derivatives on Lubricants; Part 4, Lubricating Properties of Aliphatic Esters, by A. W. Ralston, E. J. Hoffman and E. W. Segebrecht	July 26,	R-320
	Synthetic Oils from Unsaturated Hydrocarbons, by Ewa Neyman-Pilatowa	Aug. 23,	R-370
758.	**Greases.**		
	Synthetic Fats from Petroleum Suitable for Grease Making, by A. W. Burwell and J. A. Camelford	Oct. 4,	R-424
759.	**Other Petroleum Products.**		
	.6 By-Products, General. Waste Utilization.		
	Chemists Discuss Plastics, Resins and Rubber from Petroleum at ACS Meeting	Sept. 20,	R-407
769.	**Other Auxiliary Plants and Departments.**		
	.1 Fire Preventive and Extinguishing Equipment.		
	10-Year Trial Shows Success of Inert Gas System; Sun Oil Co., by M. G. Van Voorhis	Oct. 18,	R-441
	.6 Water Supply Treating Plant.		
	Water Cooling Tower Performance Predicted by Computation, by Russell Nance	July 26,	R-316
	Improved Equipment Reduces Water Requirements at Refineries; Pure Oil Co., by J. M. Augustus and D. S. Frank	Nov. 1,	R-454
807.	**Utilization of Hydrocarbon Gases.**		
	Chemical Industry Medal Awarded to Dr. Robert E. Wilson	Dec. 13,	R-541
811.	**Burners and Burner Appliances.**		
	New Type Burners Speed Combustion, Provide Higher Heat Release, by Edwin L. Dennis	Nov. 1,	R-466
815.	**Power Development with Internal Combustion Engines Using Light Distillate as Fuel.**		
	Low Quality of Distillate Fuels Hinder Use in Farm Tractors, by E. L. Barger	Nov. 15,	R-482
	New Truck and Bus Engine Is Independent of Fuel Trends, by P. C. Ritchie	Nov. 15,	R-498
830.	**Utilization of Petroleum Products for Lubrication.**		
	Effect of Fatty Acid Derivatives on Lubricants; Lubricating Properties of Aliphatic Esters, Part 4, by A. W. Ralston, E. J. Hoffman and E. W. Segebrecht	July 26,	R-320
832.	**Lubrication of Internal Combustion Engine Cylinders.**		
	Mirror Finishes and Ring Coatings Improve Engine Lubrication, by M. G. Van Voorhis	Oct. 4,	R-414
	S.A.E. Maintenance Symposium Considers Engine Wear	Nov. 1,	R-458
	Oxidation Resistant Motor Oils Producible by Present Methods, by M. R. Fenske, C. E. Stevenson and R. E. Hersh	Nov. 15,	R-471
	.2 Diesel Engine Lubrication.		
	Cooling Diesel Engine Pistons Reduces Lacquer Formation, by A. T. McDonald and L. A. Blanc	Nov. 15,	R-494
836.	**Lubrication of Gears, Sprockets and Pinions.**		
	All-Purpose Gear Lubricants Now Available But Not Specified, by M. G. Van Voorhis	Oct. 18,	R-436
	Hypoid-Lubricant Requirements of Passenger Cars and Trucks, by H. R. Wolf	Nov. 15,	32
839.	**Lubrication of Other Mechanisms; Other Data on Lubrication.**		
	Function of Colloidal Graphite in Special Purpose Lubes, by Raymond Szymanowitz	Aug. 9,	R-340
934.	**Labor Management.**		
	.35 Education: Training and Industrial Schools.		
	Safety Courses Lead in Extensive Refinery Educational Program, by Walter E. Rust	Oct. 18,	R-430

N.P.N. SEMI-ANNUAL AUTHOR INDEX
Of Refining Technology Articles
JULY-DECEMBER, 1939

Author	Title	Issue	Page
Weiland, W. F.—Color Density and Acid Vapor Indicate Oil Performance		Aug. 9,	R-334
Westsmith, J. N.—Alkylation Plant Costs 8 Times Comparable Cracking Plant; Union Oil Co. Plant		Nov. 29,	R-510
Wolf, H. R.—Hypoid-Lubricant Requirements for Passenger Cars and Trucks		Nov. 15,	32
Woodfield, Jr., F. W.—Stoichiometric Calculations of Exhaust Gas (also by G. W. Gleeson)		Nov. 1,	R-461
Augustus, J. M.—Improved Equipment Reduces Water Requirements at Refineries; Pure Oil Co. (also by D. S. Frank)		Nov. 1,	R-454
Barger, E. L.—Low Quality of Distillate Fuels Hinder Use in Farm Tractors		Nov. 15,	R-482
Beall, A. L.—Octane Rating Shortcomings Not Serious		Dec. 13,	R-538
Bates, J. R.—High Quality Aviation Fuel Base Is Houdry Reforming Objective (also by A. G. Peterkin and H. P. Broom)		Nov. 29,	R-517

Author	Title	Issue	Page
Blanc, L. A.—Cooling Diesel Engine Pistons Reduces Lacquer Formation (also by A. T. McDonald)		Nov. 15,	R-494
Barnard, D. P. — Octane Number a Bench Mark, Not Procrusean Bed		Dec. 13,	R-533
Broom, H. P.—High Quality Aviation Fuel Base Is Houdry Reforming Objective (also by A. G. Peterkin and J. R. Bates)		Nov. 29,	R-517
Burwell, A. W.—Synthetic Fats from Petroleum Suitable for Grease Making (also by J. A. Camelford)		Oct. 4,	R-424
Camelford, J. A.—Synthetic Fats from Petroleum Suitable for Grease Making (also by A. W. Burwell)		Oct. 4,	R-424
Coulthurst, L. J.—Hydrogen Sulfide Removed by Tri-Potassium Phosphate (also by H. N. LaCroix)		Aug. 9,	R-326
Dennis, Edwin L.—New Type Burners Speed Combustion, Provide Higher Heat Release		Nov. 1,	R-466
Egloff, Gustav — Dehydrogenation, Polymerization, Hydrogenation, New Catalytic Process Adds to Potential Motor Fuel Supply (also by A. V. Grosse, V. N. Ipatieff and J. C. Morrell)		Nov. 29,	R-520
Fenske, M. R. — Oxidation Resistant Motor Oils Producible by Present Methods (also by C. R. Stevenson and R. E. Hersh)		Nov. 15,	R-471
Field, Hugh W. — Refining Becomes Petroleum-ization in Chemical Process Invasion		Nov. 29,	R-522
Foster, Arch L. — Catalytic Reforming In Small Units Gives 8 To 23 Octane No. Rise		Sept. 20,	R-394
Frank, D. S.—Improved Equipment Reduces Water Requirements at Refineries; Pure Oil Co. (also by J. M. Augustus)		Nov. 1,	R-454
Frey, F. E.—Thermal Alkylation to Produce Auto and Airplane Fuels (also by G. G. Oberfell)		Nov. 29,	R-502
Garton, F. L.—4-Ball Apparatus Predicts Hypoid Lube Performance (also by H. R. Kemmerer)		Dec. 27,	R-551
Gleeson, G. W.—Stoichiometric Calculations of Exhaust Gas (also by F. W. Woodfield, Jr.)		Nov. 1,	R-461
Grosse, A. V.—Dehydrogenation, Polymerization, Hydrogenation New Catalytic Process Adds to Potential Motor Fuel Supply (also by V. N. Ipatieff, Gustav Egloff and J. C. Morrell)		Nov. 29,	R-520
Hebl, L. E.—Knocking Problem Not One of Temperature Alone		Dec. 13,	R-540
Heron, S. D.—Antiknock Confusion Not Due to Octane Number Scale		Dec. 13,	R-534
Hersh, R. E.—Oxidation Resistant Motor Oils Producible by Present Methods (also by M. R. Fenske and C. E. Stevenson)		Nov. 15,	R-471
Hoffman, E. J.—Effect of Fatty Acid Derivatives on Lubricants: Part 4, Lubricating Properties of Aliphatic Esters (also by A. W. Ralston and E. W. Segebrecht)		July 26,	R-320
Ipatieff, V. N.—Dehydrogenation, Polymerization, Hydrogenation New Catalytic Process Adds to Potential Motor Fuel Supply (also by A. V. Grosse, Gustav Egloff and J. C. Morrell)		Nov. 29,	R-520
Kaasa, O. G.—Measurement of Metal Temperatures of Cracking Still Tubes		Nov. 15,	R-478
Kemmerer, H. R.—4-Ball Apparatus Predicts Hypoid Lube Performance (also by F. L. Garton)		Dec. 27,	R-551
Kuhring, M. S.—Multi-Cylinder Test Engine Adds Confusion		Dec. 13,	R-538
LaCroix, H. N.—Hydrogen Sulfide Removed by Tri-Potassium Phosphate (also by L. J. Coulthurst)		Aug. 9,	R-326
Leslie, George C.—Cone in New Type De Florez Furnace Improves Heat Distribution		July 12,	R-294
McDonald, A. T.—Cooling Diesel Engine Pistons Reduces Lacquer Formation (also by L. A. Blanc)		Nov. 15,	R-494
Morrell, J. C.—Dehydrogenation, Polymerization, Hydrogenation, New Catalytic Process Adds to Potential Motor Fuel Supply (also by A. V. Grosse, V. N. Ipatieff and Gustav Egloff)		Nov. 29,	R-520
Nance, Russell—Water Cooling Tower Performance Predicted by Computation		July 26,	R-316
Neyman-Pilatowa, Ewa—Synthetic Oils from Unsaturated Hydrocarbons		Aug. 23,	R-370
Oberfell, G. G.—Thermal Alkylation to Produce Auto and Airplane Fuels (also by F. E. Frey)		Nov. 29,	R-502
Payne, J. W.—Filter Clays Retain High Efficiency with New Regeneration Process (also by T. P. Simpson)		Nov. 15,	R-486
Peterkin, A. G.—High Quality Aviation Fuel Base Is Houdry Reforming Objective (also by J. R. Bates and H. P. Broom)		Nov. 29,	R-517
Philippovich, Alexander v.—Engine Fuel Testing and Proposals for Its Further Development		Dec. 13,	R-526
Ralston, A. W.—Effect of Fatty Acid Derivatives on Lubricants: Part 4, Lubricating Properties of Aliphatic Esters (also by E. J. Hoffman and E. W. Segebrecht)		July 26,	R-320
Ritchie, P. C.—New Truck and Bus Engine Is Independent of Fuel Trends		Nov. 15,	R-498
Rust, Walter E.—Safety Courses Lead in Extensive Refinery Educational Program		Oct. 18,	R-430
Segebrecht, E. W.—Effect of Fatty Acid Derivatives on Lubricants: Part 4, Lubricating Properties of Aliphatic Esters (also by A. W. Ralston and E. J. Hoffman)		July 26,	R-320
Simpson, T. P.—Filter Clays Retain High Efficiency with New Regeneration Process (also by J. W. Payne)		Nov. 15,	R-486
Smith, Duff—Feature Multifold Operations in Simple Refining Equipment; European Government Refineries		Aug. 23,	R-372
Stevenson, C. E.—Oxidation Resistant Motor Oils Producible by Present Methods (also by M. R. Fenske and R. E. Hersh)		Nov. 15,	R-471
Szymanowitz, Raymond—Function of Colloidal Graphite in Special Purpose Lubes		Aug. 9,	R-340
Van Voorhis, M. G.—Blends Lubes to Order from Base Stocks at Distributing Center; Penola Detroit Plant		July 26,	R-312
The Houdry Process. Magnolia Petroleum Co. Completes 138-Day Run of New Type Houdry Catalytic Cracking Unit		Aug. 23,	R-346
Fewer "Tailor Made" Valves Result of A.P.I. Standards Program		Sept. 6,	R-381
Continuous Lube Blending Plant Cuts Blending Time 60-65% at Pennsylvania Refining Co. Plant		Sept. 20,	R-410
Mirror Finishes and Ring Coatings Improve Engine Lubrication		Oct. 4,	R-414
All-Purpose Gear Lubricants Now Available But Not Specified		Oct. 18,	R-436
10-Year Trial Shows Success of Inert Gas System; Sun Oil Co.		Oct. 18,	R-441